Pioneer Valley MCD Weekly Report

EPI Week 30

Week Ending: July 27, 2024

Surveillance Summary


EPI Week 30 Target Species Surveillance Summary					Cumulative Totals: EPI Weeks 24-30			
Species	#	Pools	WNV+	EEEV+	Cumulative	Cumulative	Cumulative	Cumulative
	Collected				Specimens	Pools	WNV+	EEEV+
Cx. pipiens/restuans	65	9	1	0	1161	41	1	0
Cs. melanura	2	1	0	0	122	13	0	0
Cq. perturbans	606	16	1	0	14982	134	1	0
Oc. canadensis	57	2	0	0	556	20	0	0
Oc. japonicus	98	9	0	0	357	19	0	0
Cx. salinarius	185	9	0	0	549	10	0	0
Ae. albopictus	8	1	0	0	15	2	0	0
Ps. ferox	131	1	0	0	234	4	0	0
An. quadrimaculatus	10	1	0	0	515	1	0	0
Ae. vexans	47	2	0	0	132	1	0	0
Oc. excrucians	37	1	0	0	57	1	0	0
Cx. erraticus	151	1	0	0	151	1	0	0
Totals	1397	53	2	0	20040	247	2	0

Positive Samples

• There were two arbovirus detections in Pioneer Valley: a WNV positive pool of Cq. *perturbans* (50) found in Holyoke and a WNV positive pool of Cx. *pipiens/restuans* (10) collected from a trap in East Longmeadow.


Most Abundant Species

• Cq. perturbans were the most abundant vector species collected during EPI week 30, totaling 606 specimens. Perturbans collections are down by 67% from the previous week and are expected to continue to decrease during the coming weeks. Cq. perturbans are a bridge vector for EEE and WNV and can be found in permanent swamps with emergent vegetation (e.g. cattails and hummocks/tussocks). Cq. perturbans are aggressive human biters that can fly up to 5 miles for a blood meal and are active during the night.




EPI WK 30 Summary by County

- Franklin County
 - EPI WK 30 Pools Tested: 13
 - o Positive Samples: 0
 - o Most Abundant Species: Cq. perturbans (80)
 - o Total Mosquitoes Collected: 241
- Hampden County
 - EPI WK 30 Pools Tested: 23
 - o Positive Samples: 2
 - o Most Abundant Species: Cq. perturbans (267)
 - o Total Mosquitoes Collected: 852
- Hampshire County
 - o EPI WK 30 Pools Tested: 19
 - o Positive Samples: 0
 - Most Abundant Species: Cq. perturbans (259)
 - o Total Mosquitoes Collected: 456
- Total Mosquitoes Collected (All Counties): 2547
- Total Pools Submitted for Testing (All Counties): 59



Weather Data



Weather Summary

• Weather conditions remained favorable for mosquitoes during EPI week 30. There was a total of **1,549** mosquitoes collected during EPI week 30 (-39%). Due to specific species phenology (seasonal abundance) and weather conditions, it is expected that mosquito collection totals will continue to decrease in the coming weeks.

Weekly Changes in Weather

Station	Name	EPI Week	PRCP Total (in.)	TMAX AVG (°F)	TMIN AVG (°F)
USC00190120	AMHERST, MA US	24	0.57	75.43	54.14
USC00190120	AMHERST, MA US	25	1.79 (+214%)	84.71 (+12%)	61.14 (+13%)
USC00190120	AMHERST, MA US	26	1.64 (-8%)	81.86 (-3%)	59.14 (-3%)
USC00190120	AMHERST, MA US	27	2.08 (+28%)	81.71 (no change)	58.29 (+1%)
USC00190120	AMHERST, MA US	28	1.5 (-28%)	89 (+9%)	69.9 (+20%)
USC00190120	AMHERST, MA US	29	1.89 (+26%)	87.14 (-2%)	64.43 (-8%)
USC00190120	AMHERST, MA US	30	0.64 (-66%)	81.71 (-6%)	62 (-4%)


Arbovirus Detections as of 8/1/24

Collection			Pool		
Date	Town	Species	Size	County	Virus
6/25/2024	Quincy	Culex pipiens/restuans	36	Norfolk	WNV
6/25/2024	Quincy	Culex pipiens/restuans	25	Norfolk	WNV
7/1/2024	Carver	Culiseta melanura	50	Plymouth	EEE
7/1/2024	Carver	Culiseta melanura	50	Plymouth	EEE
7/1/2024	Carver	Culiseta melanura	50	Plymouth	EEE
7/1/2024	Carver	Culiseta melanura	34	Plymouth	EEE
7/1/2024	Carver	Coquillettidia perturbans	50	Plymouth	EEE
7/1/2024	Carver	Coquillettidia perturbans	50	Plymouth	EEE
7/2/2024	Rockland	Culex pipiens/restuans	50	Plymouth	WNV
7/8/2024	Kingston	Culex pipiens/restuans	50	Plymouth	EEE
7/8/2024	Halifax	Culiseta melanura	50	Plymouth	EEE
7/9/2024	Raynham	Culiseta melanura	50	Bristol	WNV
7/9/2024	Blackstone	Culex pipiens/restuans	24	Worcester	WNV
7/9/2024	Edgartown	Culex pipiens/restuans	22	Dukes	WNV
7/9/2024	Cambridge	Culex pipiens/restuans	50	Middlesex	WNV
7/9/2024	Hanson	Culiseta melanura	50	Plymouth	WNV
7/11/2024	Clinton	Culex pipiens/restuans	20	Worcester	WNV
7/11/2024	Natick	Culex pipiens/restuans	50	Middlesex	WNV
7/15/2024	Carver	Culiseta melanura	50	Plymouth	EEE
7/15/2024	East Longmeadow	Culex salinarius	5	Hampden	WNV
7/16/2024	Dracut	Coquillettidia perturbans	50	Middlesex	WNV
7/16/2024	Wayland	Culex pipiens/restuans	34	Middlesex	WNV
7/16/2024	Middleborough	Culex pipiens/restuans	50	Plymouth	WNV
7/16/2024	Middleborough	Culex pipiens/restuans	50	Plymouth	WNV
7/16/2024	Scituate	Culex pipiens/restuans	49	Plymouth	WNV
7/16/2024	Pembroke	Culex pipiens/restuans	31	Plymouth	WNV
7/17/2024	Fairhaven	Culex pipiens/restuans	22	Bristol	WNV
7/17/2024	Dartmouth	Culex pipiens/restuans	37	Bristol	WNV
7/18/2024	Seekonk	Coquillettidia perturbans	50	Bristol	WNV
7/18/2024	Seekonk	Culiseta melanura	31	Bristol	WNV
7/19/2024	Richmond	Culex pipiens/restuans	21	Berkshire	WNV
7/19/2024	Attleboro	Culex pipiens/restuans	23	Bristol	WNV
7/19/2024	Worcester	Culex pipiens/restuans	19	Worcester	WNV
7/19/2024	Worcester	Culex pipiens/restuans	50	Worcester	WNV
7/19/2024	Marlborough	Culex pipiens/restuans	50	Middlesex	WNV
7/22/2024	Haverhill	Culex pipiens	50	Essex	WNV
7/22/2024	Haverhill	Culex pipiens	50	Essex	WNV
7/22/2024	Haverhill	Culex pipiens	41	Essex	WNV
7/22/2024	Brookline	Culex pipiens/restuans	50	Norfolk	WNV
7/22/2024	Kingston	Culex pipiens/restuans	37	Plymouth	WNV
7/22/2024	Carver	Culiseta melanura	50	Plymouth	EEE


7/22/2024	Carver	Culiseta melanura	50	Plymouth	EEE
7/22/2024	Carver	Culiseta melanura	50	Plymouth	EEE
7/22/2024	Carver	Coquillettidia perturbans	50	Plymouth	EEE
7/22/2024	Carver	Coquillettidia perturbans	50	Plymouth	EEE
7/23/2024	Easton	Culiseta melanura	24	Bristol	WNV
7/23/2024	Norton	Culex pipiens/restuans	44	Bristol	WNV
7/23/2024	Barnstable	Culex pipiens/restuans	50	Barnstable	EEE
7/23/2024	Quincy	Culex pipiens/restuans	50	Norfolk	WNV
7/23/2024	Braintree	Culex pipiens/restuans	50	Norfolk	WNV
7/23/2024	Quincy	Culex pipiens/restuans	50	Norfolk	WNV
7/23/2024	Westwood	Coquillettidia perturbans	50	Norfolk	WNV
7/23/2024	Avon	Culex pipiens/restuans	16	Norfolk	WNV
7/23/2024	Holyoke	Coquillettidia perturbans	50	Hampden	WNV
7/23/2024	Abington	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Abington	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Abington	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Brockton	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Brockton	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Brockton	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Bridgewater	Culex pipiens/restuans	50	Plymouth	WNV
7/23/2024	Boston	Culex pipiens/restuans	37	Suffolk	WNV
7/23/2024	Boston	Ochlerotatus japonicus	9	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	41	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	19	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	50	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	50	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	28	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	50	Suffolk	WNV
7/23/2024	Boston	Culex pipiens/restuans	39	Suffolk	WNV
7/24/2024		Culex pipiens/restuans	38		WNV
7/24/2024	New Bedford	Culex pipiens/restuans	23	Bristol	WNV
7/24/2024	Bedford	Culex pipiens/restuans	43	Middlesex	WNV
7/24/2024	Burlington	Culex pipiens/restuans	29	Middlesex	WNV
7/24/2024	East Longmeadow	Culex pipiens/restuans	10	Hampden	WNV
7/24/2024	Woburn	Culex pipiens/restuans	50	Middlesex	WNV
7/24/2024	Swansea	Culex pipiens/restuans	19	Bristol	WNV
7/25/2024			39	Middlesex	WNV
7/25/2024	Marlborough Worcester	Culex pipiens/restuans Culex pipiens/restuans	50	Worcester	WNV
7/25/2024	Worcester	Culex pipiens/restuans Culex pipiens/restuans	50	Worcester	WNV
7/25/2024	Medfield	Culiseta melanura	50	Norfolk	WNV
7/25/2024	Dover	Culiseta melanura Culiseta melanura	43	Norfolk	WNV
7/25/2024	Grafton		50		WNV
		Culex pipiens/restuans	35	Worcester	WNV
7/29/2024	Saugus	Culex pipiens Culex salinarius	50	Essex	
7/29/2024	Middleborough			Plymouth	WNV
7/29/2024	Kingston	Culey pipions /restume	10	Plymouth	EEE
7/30/2024	Falmouth	Culey pipiens/restuans	31	Barnstable	WNV
7/30/2024	Framingham	Culex pipiens/restuans	50	Middlesex	WNV
7/30/2024	Haverhill	Coquillettidia perturbans	50	Essex	EEE
7/30/2024	Haverhill	Coquillettidia perturbans	50	Essex	WNV
7/30/2024	Amesbury	Coquillettidia perturbans	25	Essex	EEE
7/30/2024	Boston	Culex pipiens/restuans	8	Suffolk	WNV
7/30/2024	Boston	Culex pipiens/restuans	11	Suffolk	WNV

Arbovirus Summary as of 8/1/24

Virus	Positive Mosquito	Animal Cases	Human Cases
	Samples		
EEEv	18	0	0
WNV	75	0	0



EEE Impacted Areas




= Risk Level Change During the Past Week

Recent detections of EEv in mosquitos has resulted in a risk level change to "Moderate" in the following communities:

Amesbury, Carver, Groveland, Halifax, Haverhill, Kingston, Merrimac, Middleborough, Newburyport, Plymouth, Plympton, Salisbury, Wareham, and West Newbury.

Current EEE Risk Map from: https://www.mass.gov/info-details/massachusetts-arbovirus-update

WNV Impacted Areas



Detections of WNV in mosquitos during the past week has resulted in a risk level change to "Moderate" in the following communities: Abington, Acushnet, Attleboro, Avon, Bedford, Boston, Braintree, Bridgewater, Brockton, Brookline, Burlington, Dartmouth, East Longmeadow, Easton, Fairhaven, Framingham, Grafton, Hanson, Haverhill, Holbrook, Marlborough, Middleborough, Natick, New Bedford, Norton, Pembroke, Quincy, Randolph, Raynham, Rehoboth, Rockland, Seekonk, Shrewsbury, Stoughton, Sudbury, Taunton, Watertown, Wayland, West Bridgewater, Woburn, and Worcester.

Current WNV Risk Map From: https://www.mass.gov/info-details/massachusetts-arbovirus-update

Dengue Fever in Massachusetts (acquired through travel)

- According to the CDC, there have been a total of 66 human cases of dengue in Massachusetts, as of 8/1/24. There have been no local transmissions of dengue in Massachusetts.
- Dengue transmission typically occurs in the following regions: the Caribbean, Central America, South America, Southeast Asia, and the Pacific Islands.
- Dengue is spread through a human-to-mosquito-to-human cycle.
- Onset is up to two weeks with illness lasting 2-7 days. Transmission to mosquitoes is possible for up to 12 days.
- Symptoms include:
 - o Fever
 - o Nausea and vomiting
 - o Rash
 - o Aches and pains
 - o Joint and muscle pain
 - o Pressure and pain around the eye sockets
 - o Headache

WNV and EEE Symptoms Chart

Disease	Onset		Symptoms
WNV	2 to 14 Days	Febrile Illness	Neuroinvasive Disease
EEE	4 to 10 Days	Febrile Illness Fever Muscle aches Joint pain Chills	Neuroinvasive Disease

PE Poster Printouts and Helpful Links

- Mosquito Bite Prevention Poster
- EEE Transmission Cycle Poster
- WNV Transmission Cycle Poster
- Dengue Virus Transmission Cycle Poster
- CDC Dengue Fever Information
- DPH Mosquito PE Materials: https://www.mass.gov/lists/mosquito-borne-disease-educational-materials
- CDC Press Kit: https://www.cdc.gov/mosquitoes/communication-resources/press-kit-mosquitoes.html
- DPH Tick PE Materials: https://www.mass.gov/info-details/tick-borne-educational-materials

Recommended Messaging

- Use EPA approved bug-repellent
- Cover skin/wear long sleeves and pants
- Avoid outdoor activities during peak mosquito times (between dusk and dawn)
- Repair window screens
- Containers in yards with standing water should be emptied to reduce mosquito breeding

DPH Arbovirus Toolkit: https://www.mass.gov/lists/arbovirus-information-for-local-boards-of-health#toolkit-

DPH Arbovirus Response Plan: https://www.mass.gov/doc/2024-arbovirus-surveillance-and-response-plan/download

Questions/Comments: Please email John Briggs, the District Director, at john.c.briggs@mass.gov.



FIGHT THE BITE

AND HELP PREVENT THE SPREAD OF MOSQUITO BORNE DISEASES



USE REPELLENT

Be sure to apply EPA approved insect repellents containing plant based eucalyptus or DEET when outdoors.



AVOID DUSK AND DAWN

Most mosquito species are very active at dusk and dawn.
Avoid engaging in outdoor activities during these times whenever possible.



WEAR PROPER CLOTHING

Wearing long-sleeves and pants will significantly help reduce mosquito bites.



PREVENT ARTIFICIAL HABITAT

Buckets, plant pots, kiddie pools, tire swings, and anything that holds water should be emptied to prevent mosquito habitat.



FIX DOORS AND WINDOWS

Screens with holes should be repaired and be sure that all doors and windows are working properly to keep the mosquitoes out.



FIRST AID FOR BITES


Wash bite with soap and water and apply anti-itch cream. If necessary, apply a cold cloth to reduce swelling.

Email: john.c.briggs@mass.gov

Web: mass.gov/info-details/pioneer-valley-mosquito-control-district-pvmcd



EASTERN EQUINE ENCEPHALITIS VIRUS TRANSMISSION CYCLE




Email: john.c.briggs@mass.gov

 $\textbf{Web:} \ mass.gov/info-details/pioneer-valley-mosquito-control-district-pvmcd$



WEST NILE VIRUS TRANSMISSION CYCLE




Email: john.c.briggs@mass.gov

Web: mass.gov/info-details/pioneer-valley-mosquito-control-district-pvmcd



DENGUE VIRUS TRANSMISSION CYCLE



Email: john.c.briggs@mass.gov

Web: mass.gov/info-details/pioneer-valley-mosquito-control-district-pvmcd