Pioneer Valley MCD Weekly Report

EPI Week 40

Week Ending: October 5, 2024

Surveillance Summary

EPI Week 40 Target Species Surveillance Summary					Cu	mulative Totals	: EPI Weeks 24	l-40
Species	#	Pools	WNV+	EEEV+	Cumulative	Cumulative	Cumulative	Cumulative
	Collected				Specimens	Pools	WNV+	EEEV+
Cx. pipiens/restuans	6	0	0	0	1373	75	1	0
Cs. melanura	3	3	0	0	167	47	0	0
Cq. perturbans	0	0	0	0	16322	228	1	0
Oc. canadensis	3	0	0	0	580	23	0	0
Oc. japonicus	35	4	0	0	966	74	0	0
Cx. salinarius	0	0	0	0	1077	55	4	0
Ae. albopictus	0	0	0	0	116	9	0	0
Ps. ferox	2	0	0	0	403	15	0	0
An. quadrimaculatus	1	0	0	0	689	11	0	0
Ae. vexans	4	0	0	0	431	32	0	0
Cx. erraticus	0	0	0	0	456	9	0	0
An. punctipennis	4	0	0	0	1136	12	0	0
Ae. cinereus	3	0	0	0	107	3	0	0
Oc. triseriatus	3	0	0	0	329	1	0	0
Oc. trivittatus	6	0	0	0	895	14	0	0
Totals	70	7	0	0	25047	608	6	0

Positive Mosquito Samples in the Pioneer Valley Region

• There were no additional arbovirus detections during EPI week 40.

Most Abundant Species in Pioneer Valley

• The most abundant species collected during EPI week 40 were Oc. *japonicus*, with a total of 35 specimens. Oc. *japonicus* is a competent bridge vector for both EEE and WNV.

EPI WK 40 Summary by County

Franklin County


- EPI WK 40 Pools Tested: 5
- Positive Samples: 0
- Most Abundant Species: Oc. *japonicus* (19)
- Total Mosquitoes
 Collected: 35

Hampden County

- o EPI WK 40 Pools Tested: 0
- Positive Samples: 0
- Most Abundant Species: Oc. *japonicus* (5)
- Total Mosquitoes Collected: 7

Hampshire County

- o EPI WK 40 Pools Tested: 2
- Positive Samples: 0
- Most Abundant Species: Oc. *japonicus* (11)
- Total Mosquitoes Collected: 22
- Total Mosquitoes Collected (All Counties): 74
- Total Pools Submitted for Testing (All Counties): 7



Weather Summary

- The weather conditions and time of year continue to impact mosquito collection numbers, which were down 25% from the previous week, totaling 74.
- Due to the phenology (seasonal abundance) of specific species, and colder nighttime temperatures, it is expected that mosquito activity will continue to steadily decline until the first hard frost (28°F for at least 2 hours).

Station	Name	EPI Week	PRCP Total (in.)	TMAX AVG (°F)	TMIN AVG (°F)
USC00190120	AMHERST, MA US	24	0.57	75.43	54.14
USC00190120	AMHERST, MA US	25	1.79 (+214%)	84.71 (+12%)	61.14 (+13%)
USC00190120	AMHERST, MA US	26	1.64 (-8%)	81.86 (-3%)	59.14 (-3%)
USC00190120	AMHERST, MA US	27	2.08 (+28%)	81.71 (no change)	58.29 (+1%)
USC00190120	AMHERST, MA US	28	1.5 (-28%)	89 (+9%)	69.9 (+20%)
USC00190120	AMHERST, MA US	29	1.89 (+26%)	87.14 (-2%)	64.43 (-8%)
USC00190120	AMHERST, MA US	30	0.64 (-66%)	81.71 (-6%)	62 (-4%)
USC00190120	AMHERST, MA US	31	1.22 (+91%)	84.43 (+3%)	64.57 (+4%)
USC00190120	AMHERST, MA US	32	2.8 (+130%)	80.57(-5%)	64.71 (0%)
USC00190120	AMHERST, MA US	33	0.15 (-95%)	80.86 (no change)	57 (-25%)
USC00190120	AMHERST, MA US	34	1.46 (+873)	74.28 (-8%)	55.28 (-3%)
USC00190120	AMHERST, MA US	35	0.12 (-92%)	80.86 (+9%)	57 (+3%)
USC00190120	AMHERST, MA US	36	0.00	77.43 (-4%)	52.14 (-9%)
USC00190120	AMHERST, MA US	37	0.35	75 (-3%)	46.29 (-11%)
USC00190120	AMHERST, MA US	38	0.04 (-88%)	80.57 (+7%)	54.14 (+17%)
USC00190120	AMHERST, MA US	39	0.42 (+950%)	68 (-16%)	51.29 (-5%)
USC00190120	AMHERST, MA US	40	0.02 (-95%)	72.29 (+6%)	51.29 (no change)

Weekly Changes in Weather

Statewide Cumulative Arbovirus Positives as of 10/11/24

Virus	Positive Mosquito Samples	Animal Cases	Human Cases
EEE	97	3	4
WNV	333	0	15


EEE Human Cases

Onset of Symptoms	County	Age Range	Gender	Clinical Presentation
August 6, 2024	Worcester	80-89	Male	Encephalitis
August 12, 2024	Middlesex	50-59	Female	Meningoencephalitis
August 17, 2024	Plymouth	30-39	Female	Meningoencephalitis
August 22, 2024	Middlesex	70-79	Male	Meningoencephalitis


WNV Human Cases

Onset of Symptoms	County	Age Range	Gender	Clinical Presentation
July 22, 2024	Hampden	40-49	Male	Meningitis
July 26, 2024	Middlesex	70-79	Male	Encephalitis
August 7, 2024	Bristol	60-69	Female	Fever
August 13, 2024	Suffolk	60-69	Male	Meningitis
August 16, 2024	Middlesex	70-79	Male	Encephalitis
August 16, 2024	Suffolk	50-59	Male	Meningoencephalitis
August 17, 2024	Norfolk	60-69	Male	Meningitis
August 17, 2024	Suffolk	60-69	Male	Encephalitis
August 18, 2024	Essex	50-59	Male	Neuroinvasive
August 22, 2024	Middlesex	80-89	Male	Meningoencephalitis
August 24, 2024	Barnstable	60-69	Male	Encephalitis
August 26, 2024	Middlesex	60-69	Male	Encephalitis
August 28, 2024	Middlesex	60-69	Female	Fever
September 2, 2024	Essex	40-49	Male	Meningitis
September 13, 2024	Barnstable	70-79	Female	Meningoencephalitis

EEE Impacted Areas as of 10/11/24



Current EEE Risk Map from: https://www.mass.gov/info-details/massachusetts-arbovirus-update



WNV Impacted Areas as of 10/11/24


Current WNV Risk Map From: https://www.mass.gov/info-details/massachusetts-arbovirus-update

Dengue Fever in Massachusetts (acquired through travel)

- According to the CDC, there have been a total of 112 human cases of dengue in Massachusetts, as of 10/11/24. There have been no local transmissions of dengue in Massachusetts and all cases have been acquired through travel.
- Dengue transmission typically occurs in the following regions: the Caribbean, Central America, South America, Southeast Asia, and the Pacific Islands.
- Dengue is spread through a human-to-mosquito-to-human cycle.
- Onset is up to two weeks with illness lasting 2-7 days. Transmission to mosquitoes is possible for up to 12 days.
- Symptoms include:
 - o Fever
 - Nausea and vomiting
 - o Rash
 - Aches and pains
 - o Joint and muscle pain
 - Pressure and pain around the eye sockets
 - o Headache




DENGUE VIRUS TRANSMISSION CYCLE



Email: john.c.briggs@mass.gov Web: mass.gov/info-details/pioneer-valley-mosquito-control-district-pvmcd

WNV and EEE Symptoms Chart

Disease	Onset	Symptoms		
WNV	2 to 14 Days	Febrile Illness Fever Muscle aches Joint Pain Fatigue Rash 	 Neuroinvasive Disease Stiff neck Muscle Tremors Seizures Changes in vision Weakness or paralysis 	
EEE	4 to 10 Days	Febrile Illness Fever Muscle aches Joint pain Chills 	Neuroinvasive Disease Fever Headache Seizures Behavioral changes Vomiting Diarrhea Coma	



PE Poster Printouts and Helpful Links

- Mosquito Bite Prevention Poster
- EEE Transmission Cycle Poster
- WNV Transmission Cycle Poster
- Dengue Virus Transmission Cycle Poster
- <u>CDC Dengue Fever Information</u>
- DPH Mosquito PE Materials: <u>https://www.mass.gov/lists/mosquito-borne-disease-educational-materials</u>
- CDC Press Kit: <u>https://www.cdc.gov/mosquitoes/communication-resources/press-kit-mosquitoes.html</u>
- DPH Tick PE Materials: <u>https://www.mass.gov/info-details/tick-borne-educational-materials</u>

Recommended Public Messaging

- Use EPA approved bug-repellent
- Cover skin/wear long sleeves and pants
- Avoid outdoor activities during peak mosquito times (between dusk and dawn)
- Repair window screens
- Containers in yards with standing water should be emptied to reduce mosquito breeding

DPH Arbovirus Toolkit: https://www.mass.gov/lists/arbovirus-information-for-local-boards-of-health#toolkit-

DPH Arbovirus Phased Response Plan: <u>https://www.mass.gov/doc/2024-arbovirus-surveillance-and-response-plan/download</u>

Questions/Comments: Please email John Briggs, the District Director, at john.c.briggs@mass.gov.

For questions about the most recent spraying events in response to EEE:

Massachusetts Department of Public Health: <u>Mosquito Control and Spraying: Frequently Asked Questions About Spraying for</u> <u>EEE</u>

2024 Mosquito Spray Map

For questions about aerial spraying, contact MDAR Crop and Pest Services at mosquitoprogram@mass.gov.



FIGHT THE BITE

AND HELP PREVENT THE SPREAD OF MOSQUITO BORNE DISEASES



USE REPELLENT

Be sure to apply EPA approved insect repellents containing plant based eucalyptus or DEET when outdoors.



AVOID DUSK AND DAWN

Most mosquito species are very active at dusk and dawn. Avoid engaging in outdoor activities during these times whenever possible.



WEAR PROPER CLOTHING

Wearing long-sleeves and pants will significantly help reduce mosquito bites.



PREVENT ARTIFICIAL HABITAT

Buckets, plant pots, kiddie pools, tire swings, and anything that holds water should be emptied to prevent mosquito habitat.



FIX DOORS AND WINDOWS

Screens with holes should be repaired and be sure that all doors and windows are working properly to keep the mosquitoes out.




FIRST AID FOR BITES

Wash bite with soap and water and apply anti-itch cream. If necessary, apply a cold cloth to reduce swelling.

Email: john.c.briggs@mass.gov **Web:** mass.gov/info-details/pioneer-valley-mosquito-control-district-pvmcd




EASTERN EQUINE ENCEPHALITIS VIRUS TRANSMISSION CYCLE





WEST NILE VIRUS TRANSMISSION CYCLE





DENGUE VIRUS TRANSMISSION CYCLE

